EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	@rlad<"20031121" and ((generat$4 and compar$4) same (header and (code near5 line)) same ("reference" expected predetermined))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 15:36
S2	7	((source count number) with (variable line)) and ((generat$4 and compar$4) same (header and (code near5 line))) and (((compar$4 match$3) and verif$5) with ("reference" expected predetermined recorded previously))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 15:34
S3	1252	((program code) same (generat$4 and verification)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 15:35
S4	46	S3 and ((source line) with code) and ((compar$4 match$4 delta) same (header variable line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 15:36
S5	19	@rlad<"20031121" and (S4 or S1 or S2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 16:31
S6	32	S4 not S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 16:25
S7	0	((compar$4 verif$4) same ((compiled and defined) with (code with (construct structure variable)))) and (SIMULINK Matlab Mathworks)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 16:18

S8	4	((compar$4 verif$4) same ((compiled and defined) with (code with (construct structure variable))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 16:18
S9	0	((compar$4 verif$4) same ((model and compiled) with (code with (construct structure variable)))) and (SIMULINK Mathworks Matlab)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 16:19
S10	0	((compar$4 verif$4) same ((model and (compiled translated)) same (bytecode code with (construct structure variable)))) and (SIMULINK Mathworks Matlab)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 16:20
S11	24	((compar$4 verif$4) same ((model and (compiled translated)) same (bytecode code with (construct structure variable))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 16:20
S12	4	(S5 or S11) and (model same "source code")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 16:27
S13	30	((review$4 replay$3) near5 (interface tool console)) and (((source adj2 (file code))("mdl" adj2 file)) same (validat$4 verif$5)) and (model simulat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 16:30
S14	0	S13 and (S5 or S11 or S3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 16:31
S15	11	@rlad<"20031121" and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 16:59

S16	3	Simulink and ((verif$4 match$4 mapp$4) same (model and ((compil$3 translat$4 intermediate) near6 code)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/30 17:01
S17	0	(generated with (source code mdl model)) same (verify$3 with (expected near4 (line near4 code)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:15
S18	0	((generat$4 translat$3 compil$4 link$4) with (program source code mdl model)) same (verify$3 with (expected near4 (line near4 code)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 13:56
S19	1	((generat$4 translat$3 compil$4 link$4) with (program source code mdl model)) same ((verif$4 determin$3 check$3) with (expected near4 (line near4 code)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:42
S20	3	((generat$4 translat$3 compil$4 link$4) with (program source code mdl model)) and ((verif$4 determin$3 check$3) with (expected near4 (line near4 code)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:06
S21	21	(debug$4 software test).clm. and ((trac$3 replay review) near4 tool) and ((line near4 (source code program bytecode)) with (check$4 scann$4 compar$4 match$4 validat$3 verif$5 determin$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:15
S22	82	(debug$4 software test).clm. and ((trac$3 replay review) near4 (display window interface console panel tool)) and ((line near4 (source code program bytecode)) with (check$4 scann$4 compar$4 match$4 validat$3 verif$5 determin$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:11
S23	0	(match$4 with (variable header)) and (S21 or S22) and ((variable header construct line) with (match$4 compar$4 discrepan$4 differen$3 determin$4 verif$5 check$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:14

S24	80	(S21 or S22) and ((variable header construct line) with (match$4 compar$4 discrepan$4 differen$3 determin$4 verif$5 check$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:14
S25	10	(S21 or S22) and (match$4 with (section block variable header))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:14
S26	0	(S24 or S25) and ((header near4 (source code program bytecode block section)) with (match$4 check$4 scann$4 compar$4 match$4 validat$3 verif$5 determin$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:16
S27	4	(S24 or S25) and ((header with (source code program bytecode block section)) with (match$4 check$4 scann$4 compar$4 match$4 validat$3 verif$5 determin$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:59
S28	14	S25 or S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:16
S29	23	("4864569" | "5418957" | "5452449" | "5495610" | "5724556" | "5812849" | "5898872" | "6003039" | "6058264" | "6071217" | "6071317" | "6098072" | "6105036" | "6182246" | "6223185" | "6247020" | "6438560" | "6546477" | "6658421" | "6691298" | "6820184" | "6928643" | "6957415").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/31 14:38
S30	2	((bytecode "source code") same ((review verification) near5 (console interface tool))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:41

EAST Search History

S31	20	((bytecode "source code") same ((debugg$3) near5 (console interface tool))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:41
S32	3	((generat$4 translat$3 compil$4 link$4) with (program source code mdl model)) and ((verif$4 determin$3 check$3) with (expected near4 ((line variable) near4 code)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:44
S33	9	((generat$4 translat$3 compil$4 link$4) with (program source code mdl model)) and ((verif$4 determin$3 check$3) with (expected with ((line variable) near4 code)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:43
S34	0	S31 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:43
S35	10	(S31 or S33) and (line near5 (source code header program block bytecode section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:56
S36	137	((software code program) with (verif$5 check$4 conform$5)) same ((debug$4 replay review$4) with tool)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 14:59
S37	19	S36 and (((header line) with (source code program bytecode block section)) with (match$4 check$4 scann$4 compar$4 match$4 validat$3 verif$5 determin$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 15:03
S38	0	S37 and (line same header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 15:03

S39	5	S37 and (line and header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 15:07
S40	3	S39 and model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 15:16
S41	1	DERA and Tudor.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 15:16
S42	1	Scandura.in. and validat$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 15:20
S43	1	((line and format) with conform$4) and ((software program code) same (debug$4 check$5 conform$4 verif$5) and model$5). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/31 15:21